



# Certificate of Analysis

Catalog Number: TS-343  
Lot Number: 160112R-319  
Toxin: 15 Acetyl DON  
Quantity: 5.0 mL  
Concentration or Concentration after reconstitution: 100.0µg/mL  
Reconstitution if applicable: To reconstitute use a volumetric pipette to accurately pipette 5.0 mL of Acetonitrile into each standard vial. Cap tightly and vortex (mix) for at least 30 seconds.  
Solvent: Acetonitrile  
Storage: 8°C or lower  
Date of Manufacturing: January 12, 2016  
Date of Expiration: 12 months before reconstitution from certificate date (see below) and 6 months after reconstitution

---

---

Purity: ≥ 98%  
Traceability: All components used in production of this standard can be tracked back to their source for each batch produced, allowing full product traceability.  
Testing Method: UV Spectroscopy  
Testing Equipment Conditions: HP 8452A Diode Array Spectrophotometer  
Solvent: Methanol  
Wavelength: 221nm  
Extinction Coefficient: 6836  
Molecular Weight: 338.4  
Standard Uncertainty (µg/mL): ±2.24  
Product Specification (µg/mL): (90-110)  
Results (µg/mL): 103.3

This is to certify that 15 Acetyl DON standard Lot number 160112R-319 passes the required specifications and is released for sale.

Craig Humphrey – Chemistry Production Manager  
November 15, 2017