



# Certificate of Analysis

Catalog Number: TSL-317  
Lot Number: 160830-011  
Toxin: Deoxynivalenol  
Quantity: 10.0 ml  
Concentration or Concentration after reconstitution: 100.0µg/ml  
Reconstitution if applicable: N/A  
Solvent: Methanol  
Storage: 8°C or lower  
Date of Manufacturing: August 30, 2016  
Date of Expiration: 1 year from certificate date (see below).

---

Purity: ≥ 98%  
Traceability: All components used in production of this standard can be tracked back to their source for each batch produced, allowing full product traceability.  
Testing Method: UV Spectroscopy  
Testing Equipment Conditions: HP 8452A Diode Array Spectrophotometer  
Solvent: Methanol  
Wavelength: 219 nm  
E Value: 6208  
Standard Uncertainty (µg/ml): ±2.24  
Product Specification: 90-110µg/ml  
Results (µg/ml): 98.9µg/ml

This is to certify that DON standard Lot number 160830-011 passes the required specifications and is released for sale.

Carrie Maune – Quality Manager  
Date: January 11, 2017

Trilogy Analytical Laboratory, Inc.  
870 Vossbrink Drive Washington, MO 63090  
Phone: 636-239-1521 Fax: 636-239-1531 [www.trilogylab.com](http://www.trilogylab.com)

REVISION HISTORY

<b>REVISED DATE</b>	<b>REVISED BY</b>	<b>CHANGES MADE</b>
5/11/10	DANIELLE GANT	ORIGINAL DOCUMENT
6/24/10	Danielle Gant	Added page number and code
1/13/11	Danielle Grimes	Corrected Code Number
9/26/2011	Danielle Grimes	Added paginated numbers

Trilogy Analytical Laboratory, Inc.  
870 Vossbrink Drive Washington, MO 63090  
Phone: 636-239-1521 Fax: 636-239-1531 [www.trilogylab.com](http://www.trilogylab.com)